


Bike Rack Installation Instructions


Cora Bike Rack - CBR Rack Series (CBR'F' Fixed Insitu Mounting Version)

This instruction sheet is to be used for CBR'F' Series racks including **CBR1**, **CBR2**, **CBR3**, **CBR4**, **CBR5**, **CBR6**.



Cora - Bike Rack CBR Series (All models shown)

Components for CBR Rack used in assembly



1. Site selection

When selecting a site for your new bicycle rack, the most important advice is;

Do not try to hide it, as it will not be used!

Suitable locations include;

- Adjacent to entrance doors and in line of sight of a window
- Near high pedestrian traffic
- A flat location at the same surface level which cyclists use for access
- Covered areas





Other things to remember;

- Where a rack is being installed at an existing location, the rack should be placed where bicycles are currently parked
- When using a garage location, it is recommended to use a parking bay that is nearest to an entrance door.

Bike Rack Installation Instructions

Cora Bike Rack - CBR Rack Series (CBR'F' Fixed Insitu Mounting Version)

2. Access and clearance



*See product specification sheets for alternate mounting options. Can be found at cora.com.au


Access dimensions around racks

- Before mounting rack, find a suitable place that will allow for minimum spacing dimensions
- Ensure minimum spacing from walls, other racks or obstructions to allow for minimum access
- In multiple rack instal, racks may be mounted in an in-line cluster, parallel cluster, or angle cluster. See product specification sheets for alternate mounting options. Can be found at cora.com.au


Bike Rack Installation Instructions

Cora Bike Rack - CBR Rack Series (CBR'F' Fixed Insitu Mounting Version)


3. CBR'F' Series Fixing



- Prepare quick set concrete bases with minimum dimensions of 300x300x300mm.
- Place bike parking rail into the wet concrete base – sinking the rail 200mm deep.
- Secure bike parking rail in place and in correct vertical position until secure in concrete.



4. Installation complete



Installation of the Cora CBR'F' rack is now complete



CORA
BIKERACK

PH 1800 249 878

sales@cora.com.au

www.cora.com.au